| D5 | NICHQ Vanderbilt As | sessment Follow-up—PARENT Informant |
|-----------------------|-------------------------------|---|
| Today's Date: | Child's Name: | Date of Birth: |
| Parent's Name: | | Parent's Phone Number: |
| | _ | he context of what is appropriate for the age of your child. Please think last assessment scale was filled out when rating his/her behaviors. |
| Is this evaluation ba | ased on a time when the child | \square was on medication \square was not on medication \square not sure? |

| Symptoms | Never | Occasionally | Often | Very Often |
|---|-------|--------------|-------|------------|
| Does not pay attention to details or makes careless mistakes with, for example, homework | 0 | 1 | 2 | 3 |
| 2. Has difficulty keeping attention to what needs to be done | 0 | 1 | 2 | 3 |
| 3. Does not seem to listen when spoken to directly | 0 | 1 | 2 | 3 |
| 4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand) | 0 | 1 | 2 | 3 |
| 5. Has difficulty organizing tasks and activities | 0 | 1 | 2 | 3 |
| 6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort | 0 | 1 | 2 | 3 |
| 7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books) | 0 | 1 | 2 | 3 |
| 8. Is easily distracted by noises or other stimuli | 0 | 1 | 2 | 3 |
| 9. Is forgetful in daily activities | 0 | 1 | 2 | 3 |
| 10. Fidgets with hands or feet or squirms in seat | 0 | 1 | 2 | 3 |
| 11. Leaves seat when remaining seated is expected | 0 | 1 | 2 | 3 |
| 12. Runs about or climbs too much when remaining seated is expected | 0 | 1 | 2 | 3 |
| 13. Has difficulty playing or beginning quiet play activities | 0 | 1 | 2 | 3 |
| 14. Is "on the go" or often acts as if "driven by a motor" | 0 | 1 | 2 | 3 |
| 15. Talks too much | 0 | 1 | 2 | 3 |
| 16. Blurts out answers before questions have been completed | 0 | 1 | 2 | 3 |
| 17. Has difficulty waiting his or her turn | 0 | 1 | 2 | 3 |
| 18. Interrupts or intrudes in on others' conversations and/or activities | 0 | 1 | 2 | 3 |

| | | Above | | Somewhat of a | t |
|---|-----------|---------|---------|------------------|-------------|
| Performance | Excellent | Average | Average | Problem | Problematic |
| 19. Overall school performance | 1 | 2 | 3 | 4 | 5 |
| 20. Reading | 1 | 2 | 3 | 4 | 5 |
| 21. Writing | 1 | 2 | 3 | 4 | 5 |
| 22. Mathematics | 1 | 2 | 3 | 4 | 5 |
| 23. Relationship with parents | 1 | 2 | 3 | 4 | 5 |
| 24. Relationship with siblings | 1 | 2 | 3 | 4 | 5 |
| 25. Relationship with peers | 1 | 2 | 3 | 4 | 5 |
| 26. Participation in organized activities (eg, teams) | 1 | 2 | 3 | 4 | 5 |

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright @2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303









| D5 NICHQ Vanderbilt Assessment Follow-up—PAR | ENT Inform | nant, cont | inued | |
|---|-------------|-------------|------------------|----------|
| Today's Date: Child's Name: | | Date | of Birth: | |
| Parent's Name: Parent' | s Phone Num | ber: | | |
| Side Effects: Has your child experienced any of the following side | Are these | side effect | ts currently a p | oroblem? |
| effects or problems in the past week? | None | Mild | Moderate | Severe |
| Headache | | | | |
| Stomachache | | | | |
| Change of appetite—explain below | | | | |
| Trouble sleeping | | | | |
| Irritability in the late morning, late afternoon, or evening—explain below | | | | |
| Socially withdrawn—decreased interaction with others | | | | |
| Extreme sadness or unusual crying | | | | |
| Dull, tired, listless behavior | | | | |
| Tremors/feeling shaky | | | | |
| Repetitive movements, tics, jerking, twitching, eye blinking—explain below | | | | |
| Picking at skin or fingers, nail biting, lip or cheek chewing—explain below | | | | |

Explain/Comments:

Sees or hears things that aren't there

| For Office Use Only |
|--|
| Total Symptom Score for questions 1–18: |
| Average Performance Score for questions 19–26: |
| |

 $Adapted \ from \ the \ Pittsburgh \ side \ effects \ scale, \ developed \ by \ William \ E. \ Pelham, \ Jr, \ PhD.$







| D6 | NICHQ Vanderbilt As | sessment Follow-up- | -TEACHER Informant | |
|----------------------|-------------------------------|-----------------------------|--|--|
| Teacher's Name: | | Class Time: | Class Name/Period: | |
| Today's Date: | Child's Name: | | Grade Level: | |
| and sho | | or since the last assessn | opropriate for the age of the child you are ra nent scale was filled out. Please indicate the the behaviors: | |
| Is this evaluation b | ased on a time when the child | \square was on medication | on □ was not on medication □ not sure? | |
| | | | | |

| Symptoms | Never | Occasionally | Often | Very Often |
|---|-------|--------------|-------|------------|
| 1. Does not pay attention to details or makes careless mistakes with, for example, homework | 0 | 1 | 2 | 3 |
| 2. Has difficulty keeping attention to what needs to be done | 0 | 1 | 2 | 3 |
| 3. Does not seem to listen when spoken to directly | 0 | 1 | 2 | 3 |
| 4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand) | 0 | 1 | 2 | 3 |
| 5. Has difficulty organizing tasks and activities | 0 | 1 | 2 | 3 |
| 6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort | 0 | 1 | 2 | 3 |
| 7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books) | 0 | 1 | 2 | 3 |
| 8. Is easily distracted by noises or other stimuli | 0 | 1 | 2 | 3 |
| 9. Is forgetful in daily activities | 0 | 1 | 2 | 3 |
| 10. Fidgets with hands or feet or squirms in seat | 0 | 1 | 2 | 3 |
| 11. Leaves seat when remaining seated is expected | 0 | 1 | 2 | 3 |
| 12. Runs about or climbs too much when remaining seated is expected | 0 | 1 | 2 | 3 |
| 13. Has difficulty playing or beginning quiet play activities | 0 | 1 | 2 | 3 |
| 14. Is "on the go" or often acts as if "driven by a motor" | 0 | 1 | 2 | 3 |
| 15. Talks too much | 0 | 1 | 2 | 3 |
| 16. Blurts out answers before questions have been completed | 0 | 1 | 2 | 3 |
| 17. Has difficulty waiting his or her turn | 0 | 1 | 2 | 3 |
| 18. Interrupts or intrudes in on others' conversations and/or activities | 0 | 1 | 2 | 3 |

| | | Above | | Somewhat of a | t |
|-----------------------------|-----------|---------|---------|------------------|-------------|
| Performance | Excellent | Average | Average | Problem | Problematic |
| 19. Reading | 1 | 2 | 3 | 4 | 5 |
| 20. Mathematics | 1 | 2 | 3 | 4 | 5 |
| 21. Written expression | 1 | 2 | 3 | 4 | 5 |
| 22. Relationship with peers | 1 | 2 | 3 | 4 | 5 |
| 23. Following direction | 1 | 2 | 3 | 4 | 5 |
| 24. Disrupting class | 1 | 2 | 3 | 4 | 5 |
| 25. Assignment completion | 1 | 2 | 3 | 4 | 5 |
| 26. Organizational skills | 1 | 2 | 3 | 4 | 5 |

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

 $\label{thm:conditional} Adapted from the Vanderbilt Rating Scales developed by Mark L.\ Wolraich, MD.$

Revised - 0303









| eacher's Name: | Class Time: | | Class Name | /Period: | |
|---|--------------------------------------|-----------|------------|------------------|-------------------|
| | me: | | | | |
| | | | | <u></u> _ | |
| Side Effects: Has the child experience effects or problems in the past week | | Are these | side effec | ts currently a p | roblem? Severe |
| Headache | | None | 17111- | Moderate | JC |
| Stomachache | | | | | |
| Change of appetite—explain below | | | | | |
| Trouble sleeping | | | | | |
| Irritability in the late morning, late aft | ternoon, or evening—explain below | | | | |
| Socially withdrawn—decreased intera | | | | | |
| Extreme sadness or unusual crying | etton vim omero | | | | |
| Dull, tired, listless behavior | | | | | |
| Tremors/feeling shaky | | | | | |
| Repetitive movements, tics, jerking, tw | vitching, eve blinking—explain below | | | | |
| Picking at skin or fingers, nail biting, l | | | | | |
| Sees or hears things that aren't there | mp of effect eneming englands | | | | |
| Apidiii/Comments. | | | | | |
| For Office Use Only Total Symptom Score for questions 1- | -18: | | | | |
| For Office Use Only Total Symptom Score for questions 1– Average Performance Score: | | | | | |
| For Office Use Only Total Symptom Score for questions 1– Average Performance Score: | | | | | |

 $\label{thm:polynomial} \mbox{Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD. \\$









Fax number: